

Curved Backhoe Boom



The curved boom of the B26's backhoe helps you to avoid dig area obstacles, such as large rocks, and to achieve maximum digging depth with a minimum trench cut. It also allows you to more easily place the bucket contents in the center of a truck bed, as the curvature helps you to clear the truck's sideboards.

Protected Hydraulic Hoses



To better protect and increase the life of the hydraulic hoses, we've routed them through the boom and arm. This routing also helps to offer greater visibility and deliver an overall cleaner backhoe design.

Hydraulic Cylinder



High-quality chrome plating of our backhoe's hydraulic cylinders means that they are less prone to rust, offer increased durability, and better sealing performance.

20.3° Angle of Departure



High ground clearance provides a generous 20.3 degree angle of departure. This allows the B26 to load quickly onto trailers, easily ascend inclines and prevent damage to curbs while you move from job to job.



Reversible Seat

Simply lift a lever and rotate the B26's deluxe seat from forward facing to rear facing and back again. It makes switching to backhoe operation a snap.



Stabilizer Lifting Capacity

to give you greater control on any terrain. The improved capacity results in better balance, which reduces unwanted settling. It also means more strength – rear tire lift is possible even while the tractor is idling.



Digging Capacity

Here's everything you could want in a backhoe - more power and the ability to dig deeper. The B26 offers more than 4,000 lbs of bucket breakout force and digging depth of 8' 4". And best of all, you get all this in a surprisingly compact tractor.




Precise Inching Performance

Experience smooth and precise movement of the arm and boom thanks to the independent boom swing pump and our high-performance inching valves. This comes in handy when simultaneous arm and boom movements are required or when using the backhoe to "finish" jobs.




Standard Thumb Bracket

An optional Hydraulic Thumb makes quick work of debris and material handling tasks on the job site. A factory-mounted thumb bracket means that installing this handy attachments is a snap.



Hydraulic Valves for Rear Attachments (optional)

The backhoe auxiliary hydraulics kit is essential for getting the most versatility out of your backhoe. Use the kit to operate the Hydraulic Thumb, augers, hydraulic breakers, and more.



Bucket Quick Coupler (optional)

The bucket quick coupler provides a quick and easy way to change backhoe attachments. Combined with the optional hydraulics kit, the B26 provides the flexibility to perform most of the tasks operators expect from larger machines.



Quick Mount Attach/Detach

Our four-point attach/detach allows operators to quickly remove the backhoe from the integrated frame and install the Category I 3-point hitch for implement use.



Lifting Capacity and Height

The TL500 loader has a lifting capacity of 1,100 lbs. This allows you to handle heavy loads and gives you more power on any job. The lift height of 7'10" is the best In class.




Built-in Loader Valve

We've concealed the B26's loader valve and mounted it directly to the tractor. In doing so, we've not only protected the valve, thus increasing its longevity, we've also improved operator visibility and cleaned up the overall design of the machine.



Mechanical Spill Guard

The B26's Mechanical Spill Guard tilts the bucket forward as the loader is raised, thus reducing the spillage of the bucket's contents. This makes filling and dumping easier and increases efficiency.




3rd Function Valve (optional)

The 3rd Function Auxiliary Hydraulic Valve allows you to do more than ever. Optional front remotes and the Skid Steer-type quick coupler enable the use of a 4-in-1 bucket, grapple bucket and various other hydraulically controlled implements. The 3rd Function Valve can be easily activated with a button located on the grip of the loader joystick.



Front Guard

This rugged front guard protects the B26's most vital parts in case of a collision. It also perfectly complements the new slanted hood design.



Quick Coupler

A high-end feature, the quick coupler, allows you to easily change between implements like a pallet fork, bale spear, 4-in-1 bucket, grapple bucket, blade or post-hole digger without tools. Simply set the two locking levers and attach hose couplers, and you're on your way.



Lubrication Points

Lubrication points on the loader are conveniently located, eliminating the need to reposition the loader during lubrication.




Enclosed Hoses

The loader's hydraulic hoses are routed through the B26's boom. This not only protects them and adds to their longevity, it also gives operators a cleaner and clearer line of sight in front of the tractor.




Brace-less Frame

The brace-less loader frame design improves visibility and offers easier access under the hood.



Bucket-level Indicator

The B26 features a new and improved bucket-level indicator. Located on the loader lift arm, the rod indicator of the B26 gives you the ability to check level when you're using other implements like the pallet fork, and allows you to more easily check level when using the bucket.



Console-mounted Loader Joystick and Armrest

Just like larger tractors, the loader joystick is mounted on the console at the operator's right side. Positioned next to the joystick, a sturdy armrest reduces arm movement and fatigue, providing the comfort and support you need for long workdays.